



Health News Health Videos Forum Advertise Contact



login | register



Search



News Archive [link] Web Wikipedia Medical Dictionary [link]

News Category Menu

Water - Air Quality / Agriculture

Categories A-B >

Categories C-D >

Categories E-G >

Categories H-L >

Categories M-O >

Categories P-R >

Categories S-Z >

View full category list

News Options

Customized Homepage

Weekly Newsletters

Daily News Alerts

Navigation Links

Home

About Us

News Licensing

Free Website Feeds

Free Tools & Content

Links

Tell a Friend

Accessibility

Help / FAQ

Article Submission

Contact Us

Health Professional Sites

Psychiatry

Urology

Patient Resource Sites

Bipolar

Schizophrenia

Clinical Trials

Customize Your Homepage



View the news your way

Medical News Gadget

Add our medical news to your Google homepage

Water - Air Quality / Agriculture News

Useful Links

Air Quality Regulations Miss Key Pollutants Suggests CU-Boulder Study

Main Category: [Water - Air Quality / Agriculture](#)

Also Included In: [Public Health](#)

Article Date: 25 Sep 2008 - 7:00 PDT

email to a friend printer friendly view / write opinions rate article

A new study led by the University of Colorado at Boulder reveals that air quality regulations may not effectively target a large source of fine, organic particle pollutants that contribute to hazy skies and poor air quality over the Los Angeles region.

According to the study, a much smaller percentage of organic haze than was previously thought is directly emitted by vehicles and industrial processes. Instead, 75 percent of fine, organic particle pollutants form when reactive gases called VOCs, or volatile organic compounds, are oxidized and condense onto existing particles in the air.

"Air quality regulations today effectively target most sources of 'primary,' or directly emitted particles," said lead author Ken Docherty, a researcher with the university's Cooperative Institute for Research in Environmental Sciences. "Yet our study indicates that the 'secondary,' or chemically formed particles contribute more significantly to poor air quality, even in very polluted urban regions.

"Our study suggests that regulations need to focus much more attention on the gases -- such as gasoline vapors -- that form secondary organic particles and create visible haze," he said. Other examples of VOCs include vapors from paints, varnishes, cleaning supplies, automotive products and dry-cleaned clothing.

The study will be published in the journal *Environmental Science and Technology* and was posted online Sept. 23.

According to California state regulatory agencies, motor vehicles and household products are both significant sources of VOCs in the Los Angeles region.

"Although current regulations do target many sources of VOCs, these regulations will need to further reduce VOC emissions and perhaps target still unknown sources to effectively reduce fine particle concentrations," said Docherty. He and his colleagues cautioned that it is not clear which VOCs are most responsible for haze formation.

Docherty also pointed out that while all types of fine particle pollutants are considered harmful, little is known about how a particle's chemical composition might exacerbate its impact on human health. Fine particles have diameters of less than 2.5 microns, or less than one-tenth the diameter of a human hair.

The CU-Boulder-led study employed several continuous and filter-based sampling techniques, as well as five different methods to estimate the amount of chemically formed, organic particles in haze. All five methods showed that 68 to 90 percent of total organic pollution hanging over the Los Angeles region during the afternoon is

Ads by Google

[Purafil..1st in Clean Air](#)

It's time to clear the air... The proof is in the pellet...

www.purafil.com

[indoor air quality expert](#)

mold, chemicals, unknowns in business since 1978

www.atlenv.com/indoorair.html

Current Article Ratings:

Patient / Public: Not yet rated
Health Professional: ★★★★★ 5 (1 votes)
 Article Opinions: 0 posts

Customize your Medical News Today homepage [click here](#)

Choose the news that appears on your homepage...



Latest News For Water - Air Quality / Agriculture

[CDC Recognizes 73 Alabama Water Systems For Water Fluoridation Quality, USA](#)
26 Sep 2008

[Air Quality Regulations Miss Key Pollutants Suggests CU-Boulder Study](#)
25 Sep 2008

[House Committee Approves Amended Bill On Research On Environmental Effects Of Breast Cancer](#)
25 Sep 2008

[View more news...](#)

Today's Featured Health Videos

So You Want to Get Rid of Your Tattoo



As long as people have been getting tattoos, they've also wanted to get rid of them.

Doctors now use special lasers to remove unwanted tattoos. The procedure takes time and it's expensive, but for some people, it's well worth it.

more videos are available in our [health videos section](#).

Most Popular Categories

[cancer](#) [cardiovascular](#) [dermatology](#) [hiv](#) [nutrition](#) [diabetes](#) [obesity](#) [pediatrics](#)

Website Developers

- [Website Gadget Code](#)
- [Website News Code](#)
- [RSS News Feed Links](#)

DOWNLOAD**Ads by Google**

- [VOC](#)
- [Air Pollution](#)
- [Air Pollutants](#)
- [Water Pump](#)

secondary in nature. During the morning commute, when direct emissions from vehicles are at their peak, secondary particles still make up about half of the organic haze.

"We have used almost all the methods that can be used to attack this problem, and the fact that they give consistent results at one location and time is very telling," said project director and CU-Boulder Professor Jose-Luis Jimenez. Jimenez conducted similar research in Pittsburgh in 2002 and Mexico City in 2006, where secondary organic particles also were found to contribute significantly to the region's poor air quality.

Article adapted by Medical News Today from original press release.

The Los Angeles region study was conducted from July 18 to August 14 during the summer of 2005 in Riverside, Calif., about 50 miles east of Los Angeles. Additional sampling in Pasadena, Calif., approximately 10 miles northeast of Los Angeles, also suggested a similar contribution of secondary organic particles to haze.

Other groups involved in the research included the University of Wisconsin-Madison, Georgia Institute of Technology, California Institute of Technology and Brigham Young University. The study was funded in part by the Environmental Protection Agency, the National Science Foundation and NASA.

Source: Ken Dochery
[University of Colorado at Boulder](#)

Please rate this article: Patient / Public: or Health Professional:
 (Hover over the stars
 then click to rate)

Useful Links

[Email](#) [Print](#) [< Top](#)

Add to:

- Digg
- Del.icio.us
- Reddit
- Fark
- StumbleUpon
- Yahoo!
- HealthRanker
- Wikio
- Facebook

Contact Our News Editors

For any corrections of factual information, or to contact the editors please use our [feedback form](#).

Please send any medical news or health news press releases to:
pressrelease@medicalnewstoday.com

[Back to top](#)
[Back to front page](#)
[List of All Medical Articles](#)

[Privacy Policy](#) [Terms and Conditions](#) © 2008 MediLexicon International Ltd

